

Work Order ID 160378

Wednesday, April 26, 2017 12:11:00 PM

646.8812
B160378
REV. N/C

160378

Page 1

Item ID: 646.3812

Revision ID:

Item Name: Gusset Bracket

Start Date: 5/3/2017 Start Qty: 15.00

Required Date: 5/29/2017 Req'd Qty: 15.00

Reference: (P.A.)SCHEDULED/U

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Customer:

Approvals: Process Plan: DAS 21 Date: APR 26 2017

QC: 9-89 Date: _____

Tooling: _____

Date: _____

SPC (Y/N): _____

Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
646.3800	NC								
100	Cut blanks as per folio	0.00				15	0		32 9-89 17-04-27
100									
Bandsaw	Memo	0.00							
Jeaspa Bandsaw									
110	HAAS CNC VERTICAL MACHINING #1	0.00				15	0		DAS 32 9-89 17-04-27
110									
Mill Conv	Memo	4.65							
Conventional Milling Machine	1-Machine per DWG DWG REV: <u>N/C</u>								
	2- deburr and break all sharp edges								

Work Order ID 160378

Wednesday, April 26, 2017 12:11:00 PM

160378

Page 2

Item ID: 646.3812 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Gusset Bracket
 Start Date: 5/3/2017 Start Qty: 15.00 ***15*** Cust Item ID:
 Required Date: 5/29/2017 Req'd Qty: 15.00 ***15*** Customer:
 Reference: (P.A.)SCHEDULED/U

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo	0.00 0.15				15	0		32 9-89 17-04-27
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.30				15	0		DAS 49 9-89 17/04/27
140 *140* Outsource4 Outsource process - Anodize	Outsource process-Anodize per QSI017 4.1.10.1 Memo Issue P/O to ATG : <u>36166</u> 1- Black Anodize as per Dwg 646.3800 2- PRIME AS PER DWG, SEE NOTE #2 Certification of Comformity is required	0.00 2,700.00				15	MAY 02 2017		DAS 13 9-89

Work Order ID 160378

Wednesday, April 26, 2017 12:11:00 PM

160378

Page 3

Item ID: 646.3812 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Gusset Bracket
Start Date: 5/3/2017 Start Qty: 15.00 ***15*** Cust Item ID:
Required Date: 5/29/2017 Req'd Qty: 15.00 ***15*** Customer:
Reference: (P.A.)SCHEDULED/U

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Receive & Inspect for Damage & Mat'l Certs	0.00							
150									
Packaging	Memo	0.30							
Packaging									
155	QC5- Inspect part completeness to step on W/O	0.00							
155									
QC	Memo	0.30							
Quality Control	2.6 mils thickness primer								
180	Identify as per dwg & Stock Location: CK108K	0.00							
180									
Packaging	Memo	0.15							
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								

15x SPI 7-6-9.

15 DAS 38 9-89 JUN 12 2017

15 DAS 6 9-89 JUN 13 2017

Work Order ID 160378

Wednesday, April 26, 2017 12:11:00 PM

160378

Page 4

Item ID: 646.3812 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Gusset Bracket
Start Date: 5/3/2017 Start Qty: 15.00 ***15*** Cust Item ID:
Required Date: 5/29/2017 Req'd Qty: 15.00 ***15*** Customer:
Reference: (P.A.)SCHEDULED/U

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	1.50							
Quality Control									

DAS
21
9-89

JUN 13 2017

Picklist Print

Wednesday, April 26, 2017 12:11:00 PM

Page 1

Work Order ID: 160378

160378

Parent Item: 646.3812

646 3812

Parent Item Name: Gusset Bracket

Start Date: 5/3/2017

Required Date: 5/29/2017

Start Qty: 15.00

Required Qty: 15.00

Comments: IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6A0.75X0.75X 0.060X0.062		Purchased		No		100	f	55.5310	0.1	1.5			

***M7075T6A0 75X0 75X0 060X0**

7075T6 ANGLE .75" X .75" X .060" X .062"W

**

DAS
32
17-04-27 9-89

Location

Loc Qty

Loc Code

MAT051

55.531

m136405

55.531

2.771

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐								
		OTHER : ☐							

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03697				SHEET 1 OF 1	
	DWG NO. 646.3800	REV: N/C	PREPARED BY B. PETERS	DATE: 11/14/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: BRACKETS					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC) A-ADD C-CREATE R-REVISE D-DELETE	REASON: ADDED ALTERNATE MATERIAL.				ECR: D-12-006	

IS

⚠ PRIMARY MATERIAL: 7075-T651 ALUMINUM PER AMS-QQ-A-250/12.
ALTERNATE MATERIAL: 7075-T6511 ALUMINUM PER AMS-QQ-A-200/11.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 160378MCS

1704-26

SHEET 1, ZONE A2 IS:

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:				☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM	CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐ _____							


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

1. MATERIAL: ALUMINUM 7075-T651 AMS-QQ-A-250/12
2. FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK; CARDINAL 4860-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377J TYPE I CLASS N
3. DEBURR AND BREAK ALL SHARP EDGES
4. IDENTIFY IAW MPP-120



646.3810



UNINCORPORATED E.L.A. (S)

03/6/97

646.3814	WIPER BRACKET				
646.3813	STRUT BRACKET				
646.3812	GUSSET BRACKET				
646.3811	RADIUS BLOCK				
646.3810	BRACKET				
QTY	QTY FIND #	PART #	DESCRIPTION	MATL	SPEC.
PARTS LIST					
NEXT ASSY (S)			APICAL INDUSTRIES		
646.4000			2608 TEMPLE HEIGHTS DR.		
			OCEANSIDE, CA. 92054-3512 (760)724-5300		
			BRACKETS		
			SCALE NONE		
			SHEET 1 OF 3		

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE




QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



NEXT ASSY (S)		ORIGINAL DATE	09-19-08	APICAL INDUSTRIES 2658 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
		DRAWN BY	CHECKER		
		1. GARDNER			
		DRAWING APPROVAL			
		CONTRACT NO.		BRACKETS	
		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1 PLACE DECIMALS ±.010 2 PLACE DECIMALS ±.005 ANGLES ±.5°		SEE CHG. CODE B 07/02/08	DWG NO 646.3800
				SCALE	NONE
				SHEET	2 OF 5

DQA: _____ Date: _____







WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							



646.3812

APICAL INDUSTRIES		OCEANSIDE, CA. 92055-3512 1760/724-5300	
BRACKETS		2608 TEMPLE HEIGHTS DR	
SCALE: NONE		SHEET 3 OF 3	
REV: 07/04/26		646.3800	
DRAWN BY: [blank]		CHECKED BY: [blank]	
DATE: [blank]		DATE: [blank]	
DESCRIPTION: [blank]		DATE: [blank]	
REV: [blank]		DATE: [blank]	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES. IT IS PROHIBITED.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE




QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



NEXT ASSY (S)		ORIGINAL DATE 08-10-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300 BRACKETS	
		DRAWN BY C. GARDNER		
		DRAWING APPROVAL		
		CONTRACT NO.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE FRACTIONS DECIMALS ± .01 ANGLES ± .5°		DATE 07/02/06	DWG. NO. 646.3800	REV. N/C
SCALE NONE			SHEET 4 OF 5	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐



Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



646.3814



SECTION A-A

NEXT ASSY (S)		ORIGINAL DATE	08 19 08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWN BY		CHECKED			
1 CA PONEY		DATE		BRACKETS	
OFF-HEAT APPROVAL		DATE			
CONTRACT NO.		UNLESS OTHERWISE SPECIFIED		REV	DATE
		DIMENSIONS ARE IN INCHES		B	07/02/08
		TOLERANCES ARE:		646.3800	N/C
		2 PLACES DECIMALS ± .010		SCALE	NONE
		3 PLACES DECIMALS ± .005		SHEET 5 OF 5	
		ANGLES ± .5°			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : ☐							

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE
Purchase Order ID PO36166

Purchase Order Date 5/2/2017
PO Print Date 5/24/2017

Page Number 6 of 11

Order From:
A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To: DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 613-446-4544

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

VENDOR'S TRUCK

646.3812 GUSSET
BRACKET REV. N/C

6/16/2017

Yes

6/16/2017

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$91.50

16 159545

646.3813 STRUT REV.
N/C

6/16/2017

Yes

6/16/2017

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$30.50

18 159852

647.0111 PANEL REV. A

6/16/2017

Yes

6/16/2017

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$471.00

PO Instructions: PRIMER IS SUPPLIED BY DART

Note:

5/24/2017



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913379

Date: 08-Jun-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
6 ea	Part: 646.3717 Doubler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21065		Rev: A PO: PO36166 Line: 13
15 ea	Part: 646.3810 Bracket Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21066		Rev: NC PO: PO36166 Line: 14
10 ea	Part: 646.3811 Radius Block Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21067		Rev: NC PO: PO36166 Line: 15
15 ea	Part: 646.3812 Gusset Bracket Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21068		Rev: NC PO: PO36166 Line: 16
4 ea	Part: 647.1612 Splice Plate Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21068		Rev: A PO: PO36166 Line: 17

5017-6-8

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

38

Made in Canada.



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913379

Date: 08-Jun-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	- .9 mils). Job: 21079	PO: PO36166	Line: 27
65 ea	Part: 646.3715 Strut Doubler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21108	Rev: A PO: PO36166	Line: 29
10 ea	Part: 646.3812 Gusset Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21110	Rev: NC PO: PO36166	Line: 32
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>08/06/2017</u> Certified Signature: <u>[Signature]</u> Receiver Signature: <u>8017-68</u> A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. Made in Canada.			